



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

WAYNE

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
002160

WELL TYPE
Unknown Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 520FT
0 0 LG2081
DRILL DEPTH: 558FT UTM X UTM Y
DEPTH TO BED: 10FT 717,879.09 4,132,005.30
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ BRUNOT
S.W.L. (AFTER CASING):

LOG ID:
022456

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1963/12/31 TOWNSHIP RANGE SECTION ELEVATION: 411FT
0 0 LG2211
DRILL DEPTH: 122FT UTM X UTM Y
DEPTH TO BED: 10FT 722,865.10 4,123,986.12
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: Boy Scouts of America - Camp Lewellen Well #1; 74 ft of 5 inch liner
S.W.L. (AFTER CASING): 5

LOG ID:
027212

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1972/08/14 TOWNSHIP RANGE SECTION ELEVATION: 385FT
0 0 LG2248
DRILL DEPTH: 280FT UTM X UTM Y
DEPTH TO BED: 729,228.32 4,101,970.72
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: US Army COE Well #14 - "not state approved"; long 1 by 2.2 miles
S.W.L. (AFTER CASING): section

LOG ID:
028600

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1982/10/18 TOWNSHIP RANGE SECTION ELEVATION: 381FT
0 0 LG727
DRILL DEPTH: 240FT UTM X UTM Y
DEPTH TO BED: 100FT 725,966.23 4,109,108.85
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: US Army COE - Greenville Campground - strange log
S.W.L. (AFTER CASING): 170

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003146

WELL TYPE
Private Well

DRILL DATE: 1934/12/12

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 155FT

26N

5E

3

DEPTH TO BED:

UTM X UTM Y
722,683.27 4,091,067.56
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ORIGINALLY LOCATED IN BUTLER COUNTY - NOT CERTAIN OF
LOCATION

S.W.L. (AFTER CASING):

LOG ID:
008374

WELL TYPE
Private Well

DRILL DATE: 1943/07/15

TOWNSHIP RANGE SECTION

ELEVATION: 470FT

DRILL DEPTH: 131FT

26N

5E

4

DEPTH TO BED: 30FT

UTM X UTM Y
720,185.26 4,089,803.54
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 4 MI S OF WILLIAMSVILLE ON POPLAR BLUFF RD

S.W.L. (AFTER CASING): 40

LOG ID:
005289

WELL TYPE
Private Well

DRILL DATE: 1939/01/

TOWNSHIP RANGE SECTION

ELEVATION: 631FT

DRILL DEPTH: 203FT

26N

6E

5

DEPTH TO BED: 120FT

UTM X UTM Y
728,456.33 4,091,291.56
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 185

LOG ID:
016818

WELL TYPE
Private Well

DRILL DATE: 1957/05/10

TOWNSHIP RANGE SECTION

ELEVATION: 587FT

DRILL DEPTH: 263FT

26N

6E

6

DEPTH TO BED: 180FT

UTM X UTM Y
726,548.31 4,091,305.56
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: LOCATION MAY BE OFF, OR ELEVATION IS WRONG

S.W.L. (AFTER CASING): 140



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028218**WELL TYPE

Foundation Test Hole

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	345FT
		26N	7E	2		
<u>DRILL DEPTH:</u>	300FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				743,276.50	4,090,572.53
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	"DAM SAFETY CORE", PREPARED FROM CORE CHIPS -			
<u>S.W.L. (AFTER CASING):</u>			WAPPAELLO DAM			

LOG ID:**028217**WELL TYPE

Foundation Test Hole

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	418FT
		26N	7E	2		
<u>DRILL DEPTH:</u>	275FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				742,577.49	4,091,065.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WAPPAELLO DAM SAFETY TEST HOLE; SAMPLES FROM CORE			
<u>S.W.L. (AFTER CASING):</u>			CHIPS			

LOG ID:**028662**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1979/06/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	417FT
		26N	7E	2		
<u>DRILL DEPTH:</u>	700FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				742,492.49	4,091,272.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	POOR LOG, SEE LOG #28604			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013379**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	451FT
		26N	7E	2		
<u>DRILL DEPTH:</u>	125FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				742,777.50	4,091,065.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	END OF HWY T, WAPPAELLO DAM			
<u>S.W.L. (AFTER CASING):</u>	80					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027315**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1972/11/14TOWNSHIPRANGESECTIONELEVATION:

420FT

DRILL DEPTH: 400FT

26N

7E

3

DEPTH TO BED: 75FTUTM XUTM Y

741,974.49

4,090,330.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:SUPERINTENDENTS HOUSE, BETWEEN DAM & GATEHOUSE;
"WHITE ROCK"S.W.L. (AFTER CASING):**LOG ID:****028599**WELL TYPE

Unknown Well

DRILL DATE: 1980/01/09TOWNSHIPRANGESECTIONELEVATION:

358FT

DRILL DEPTH: 400FT

26N

7E

3

DEPTH TO BED: 60FTUTM XUTM Y

741,674.48

4,090,629.54

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

WAPPAPELLO DAM

S.W.L. (AFTER CASING):**LOG ID:****028814**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1983/12/TOWNSHIPRANGESECTIONELEVATION:

415FT

DRILL DEPTH: 660FT

26N

7E

3

DEPTH TO BED:UTM XUTM Y

741,874.49

4,090,430.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:Roubidoux is unusually thick. Top of Gasconade is at a depth of 305 ft.
Top ofS.W.L. (AFTER CASING):**LOG ID:****020741**WELL TYPE

Private Well

DRILL DATE: 1962/02/22TOWNSHIPRANGESECTIONELEVATION:

446FT

DRILL DEPTH: 313FT

26N

7E

3

DEPTH TO BED: 185FTUTM XUTM Y

741,874.49

4,090,130.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 83



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021600**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1962/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	453FT
<u>DRILL DEPTH:</u>	250FT	26N	7E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				741,174.48	4,090,330.53
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ROCKWOOD POINT, LAKE WAPPAPELLO			
<u>S.W.L. (AFTER CASING):</u>	85					

LOG ID:**006340**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	414FT
<u>DRILL DEPTH:</u>	335FT	26N	7E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				741,774.49	4,090,330.53
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	"NOT STATE APPROVED"			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**012205**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1952//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	441FT
<u>DRILL DEPTH:</u>	115FT	26N	7E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				740,974.48	4,090,728.54
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON WAPPAPELLO LAKE ON ROCK WOOD POINT			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**010928**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1949/07/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	446FT
<u>DRILL DEPTH:</u>	185FT	26N	7E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				741,874.49	4,089,930.53
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WAPPAPELLO DAM; YIELDS - 0.5 GPM @ 110', 3 GPM @ 180-187'			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006974**WELL TYPE

Private Well

DRILL DATE: 1941/07/04TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 193FT

26N

7E

4

DEPTH TO BED:UTM XUTM Y

740,765.47

4,089,982.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****017582**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/10/TOWNSHIPRANGESECTIONELEVATION:

540FT

DRILL DEPTH: 350FT

26N

7E

5

DEPTH TO BED: 140FTUTM XUTM Y

738,578.45

4,091,395.55

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****022812**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1964/08/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 2,426FT

27N

3E

10

DEPTH TO BED: 80FTUTM XUTM Y

702,688.22

4,098,139.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****004672**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

460FT

DRILL DEPTH: 70FT

27N

3E

12

DEPTH TO BED: 40FTUTM XUTM Y

705,607.23

4,098,661.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 18



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025065**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1967/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	423FT
<u>DRILL DEPTH:</u>	325FT	27N	4E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				713,077.25	4,095,507.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	17	FT	<u>REMARKS:</u>	formerly in name of Job Corps' Clark National Forest - Markham		
<u>S.W.L. (AFTER CASING):</u>	17	FT	Springs Area			

LOG ID:**022751**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	510FT
<u>DRILL DEPTH:</u>	2,055FT	27N	4E	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				713,144.25	4,093,244.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028476**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	615FT	27N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	205FT				724,931.28	4,102,060.73
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028376**WELL TYPE

Core Description

<u>DRILL DATE:</u>	1980/07/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	581FT
<u>DRILL DEPTH:</u>	105FT	27N	5E	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					724,638.31	4,096,404.63
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>	CORE OF FARQUHAR QUARRY		
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019075**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/06/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	502FT
<u>DRILL DEPTH:</u>	165FT	27N	5E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				717,782.26	4,094,563.59
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	63					
<u>REMARKS:</u>	IN WILLIAMSVILLE					

LOG ID:**026616**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1970/04/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	427FT
<u>DRILL DEPTH:</u>	900FT	27N	5E	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				718,107.26	4,094,901.59
<u>S.W.L. (BEFORE CASING):</u>	45	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	58	FT				
<u>REMARKS:</u>						

LOG ID:**014400**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/11/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	412FT
<u>DRILL DEPTH:</u>	125FT	27N	5E	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				718,104.27	4,095,318.60
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35					
<u>REMARKS:</u>	MAY BE LOWER GASCONADE & GUNTER					

LOG ID:**019076**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	401FT
<u>DRILL DEPTH:</u>	100FT	27N	5E	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				718,204.26	4,094,402.59
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	DOWNTOWN WILLIAMSVILLE					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020593**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1961//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	391FT
<u>DRILL DEPTH:</u>	650FT	27N	5E	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				718,393.26	4,094,386.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	FLOWED - UPPER 100' REINTERPRETED FROM ROUBIDOUX TO GASCONADE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**022166**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/07/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	424FT
<u>DRILL DEPTH:</u>	115FT	27N	5E	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				725,654.31	4,095,386.62
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD HWY 67, 3 MI N OF YORK VILLAGE			
<u>S.W.L. (AFTER CASING):</u>	25					

LOG ID:**014563**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1955/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	432FT
<u>DRILL DEPTH:</u>	1,000FT	27N	5E	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				718,911.27	4,094,115.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 H. MANN - DRY OIL TEST			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**011149**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1949/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	601FT
<u>DRILL DEPTH:</u>	62FT	27N	5E	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				725,255.30	4,091,374.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	5 MI NW OF HENDRICKSON BRIDGE ON HWY 67, TO WILLIMSVILLE RD			
<u>S.W.L. (AFTER CASING):</u>	35					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022140**WELL TYPE

Private Well

DRILL DATE: 1963/07/10TOWNSHIPRANGESECTIONELEVATION:

417FT

DRILL DEPTH: 110FT

27N

6E

19

DEPTH TO BED: 30FTUTM XUTM Y

726,119.32

4,095,952.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF YORKS VILLAGE ON OLD HWY 67 (OR 1 MI?)S.W.L. (AFTER CASING): 30**LOG ID:****010834**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1949//TOWNSHIPRANGESECTIONELEVATION:

440FT

DRILL DEPTH: 165FT

27N

6E

23

DEPTH TO BED: 65FTUTM XUTM Y

733,137.39

4,095,602.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI NE OF SPORTSMANS CAMP W OF CHAONIA, LAKE
WAPPAPELLAS.W.L. (AFTER CASING):**LOG ID:****027317**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

445FT

DRILL DEPTH: 500FT

27N

6E

24

DEPTH TO BED:UTM XUTM Y

735,194.41

4,094,930.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: US Army COE - 500 yds from Chaonia Landing, "not state approved"S.W.L. (AFTER CASING):**LOG ID:****027196**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

460FT

DRILL DEPTH: 380FT

27N

6E

24

DEPTH TO BED:UTM XUTM Y

735,336.42

4,095,022.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 400' OFF HWY W, 1000' FROM CHAONIA LANDINGS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011424**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1950/06/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	366FT
<u>DRILL DEPTH:</u>	145FT	27N	6E	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				735,236.42	4,095,123.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	US Army Corps of Engineers - Wappapello Dam; "not state approved"			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**013381**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/01/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	517FT
<u>DRILL DEPTH:</u>	206FT	27N	6E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				734,453.41	4,093,515.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	HWY W @ CHIONIA			
<u>S.W.L. (AFTER CASING):</u>	145					

LOG ID:**012891**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	525FT
<u>DRILL DEPTH:</u>	185FT	27N	6E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				734,653.41	4,093,919.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	120					

LOG ID:**022883**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/05/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	518FT
<u>DRILL DEPTH:</u>	220FT	27N	6E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				734,753.41	4,093,919.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI S OF CHIONIA LANDING ON HWY W, NEAR LAKE WAPPAPELLO			
<u>S.W.L. (AFTER CASING):</u>	130					



(Click on Well Log ID to Access Image of Well Strip Log)

Private Well

419FT

27

UTM Y

731,034.37 4,094,625.60
ZONE 15

REMARKS: NEAR WARDS RESORT, LAKE WAPPAPELLO

S.W.L. (AFTER CASING):

Private Well

444FT

27

UTM Y

731,234.37 4,094,421.60
ZONE 15

REMARKS:

S.W.L. (AFTER CASING): 75

Private Well

559FT

35

UTM Y

734,058.40 4,093,092.58
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 0.75 MI S OF CHAIONA @ LAKE WAPPAPELLO

S.W.L. (AFTER CASING): 135

Noncommunity Public Well

452FT

5

UTM Y

728,202.30 4,102,343.73
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI S OF GREENVILLE

S.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018811**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	410FT
<u>DRILL DEPTH:</u>	140FT	27N	7E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				737,373.44	4,095,415.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CHAONIA LANDING ON LAKE WA[PAPELLO			
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:**028933**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2002/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	560FT
<u>DRILL DEPTH:</u>	1,075FT	27N	7E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					741,600.48	4,095,454.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	180	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	FT					

LOG ID:**021307**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1962/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	576FT
<u>DRILL DEPTH:</u>	250FT	27N	7E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				742,100.49	4,094,940.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	Lakeland Estates - formerly in name of Ivan Davis and Camp			
<u>S.W.L. (AFTER CASING):</u>	175		Arrowhead Resort			

LOG ID:**023547**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1965/05/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	547FT
<u>DRILL DEPTH:</u>	242FT	27N	7E	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	160FT				742,732.50	4,093,248.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of J.A. Cooper - on Hwy D, 1.5 mi N of Wappapello			
<u>S.W.L. (AFTER CASING):</u>	160		Dam			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027213**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1972/06/13TOWNSHIPRANGESECTIONELEVATION:

400FT

DRILL DEPTH: 440FT

27N

7E

27

DEPTH TO BED: 130FTUTM XUTM Y

742,090.49

4,092,968.56

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: US Army COES.W.L. (AFTER CASING): 195**LOG ID:****028402**WELL TYPE

Community Public Well

DRILL DATE: 1976/07/12TOWNSHIPRANGESECTIONELEVATION:

571FT

DRILL DEPTH: 1,070FT

27N

7E

27

DEPTH TO BED: 135FTUTM XUTM Y

741,224.48

4,094,051.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Lake Forest Acres Subd & Clay Downing, owner -
see also log #28035; deepened in 1980 see log #28402 700-1070'S.W.L. (AFTER CASING):**LOG ID:****028035**WELL TYPE

Community Public Well

DRILL DATE: 1976/07/12TOWNSHIPRANGESECTIONELEVATION:

551FT

DRILL DEPTH: 1,070FT

27N

7E

27

DEPTH TO BED: 135FTUTM XUTM Y

741,627.48

4,093,788.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Lake Forest Acres Subd & Clay Downing, owner -
see also log #28035; deepened in 1980 see log #28402 700-1070'S.W.L. (AFTER CASING):**LOG ID:****022248**WELL TYPE

Private Well

DRILL DATE: 1963/08/15TOWNSHIPRANGESECTIONELEVATION:

555FT

DRILL DEPTH: 202FT

27N

7E

27

DEPTH TO BED: 95FTUTM XUTM Y

742,327.49

4,094,510.58

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022277

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	537FT
<u>DRILL DEPTH:</u>	180FT	27N	7E	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	155FT				742,327.49	4,094,304.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> ON HWY 4 MI N OF WAPPAPELLO DAM				
<u>S.W.L. (AFTER CASING):</u>	145					

LOG ID:
027766

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	502FT
<u>DRILL DEPTH:</u>	132FT	27N	7E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					741,545.44	4,101,269.69
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> NO SAMPLES RUN, TD ONLY				
<u>S.W.L. (AFTER CASING):</u>	10					

LOG ID:
017192

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1958/02/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	250FT	27N	7E	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	185FT				737,202.43	4,091,755.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> shop well				
<u>S.W.L. (AFTER CASING):</u>	130					

LOG ID:
025651

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1968/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	520FT
<u>DRILL DEPTH:</u>	465FT	27N	7E	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				737,734.44	4,091,595.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> MISSOURI STATE PARK BOARD				
<u>S.W.L. (AFTER CASING):</u>	116					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024984**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1967/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	423FT
<u>DRILL DEPTH:</u>	400FT	27N	7E	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				740,149.47	4,092,563.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Ivan Davis - 1 mi N of Wappapello Dam, near			
<u>S.W.L. (AFTER CASING):</u>	160		Peoples Creek; abandoned			

LOG ID:**021053**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	438FT
<u>DRILL DEPTH:</u>	172FT	27N	7E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				742,348.49	4,092,841.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED - SEE LOG #20235			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**020235**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	438FT
<u>DRILL DEPTH:</u>	172FT	27N	7E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				742,348.49	4,092,841.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.75 mi N of Wappapello Dam, old well deepened 143-172' (see log			
<u>S.W.L. (AFTER CASING):</u>	80		#21053)			

LOG ID:**019071**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/05/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	507FT
<u>DRILL DEPTH:</u>	275FT	27N	7E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				741,180.48	4,092,836.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	Girl Scout Camp well at infirmery - 1 mi W of Wappapello Dam near			
<u>S.W.L. (AFTER CASING):</u>	90		Rockwood Point			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012206**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1952//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	520FT
<u>DRILL DEPTH:</u>	200FT	27N	7E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				741,127.48	4,092,824.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	Girl Scout Camp showerhouse - 5 MI NW OF WAPPAPELLO DAM			
<u>S.W.L. (AFTER CASING):</u>	130					

LOG ID:**027195**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	446FT
<u>DRILL DEPTH:</u>	370FT	27N	7E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					742,535.49	4,092,247.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	"NOT STATE APPROVED" - VERY POOR SAMPLES; DIKE #2, WELL			
<u>S.W.L. (AFTER CASING):</u>	80		#5			

LOG ID:**023633**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1965/04/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	443FT
<u>DRILL DEPTH:</u>	185FT	27N	7E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				742,635.50	4,092,345.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	HWY D, 1 MI N OF WAPPAPELLO DAM			
<u>S.W.L. (AFTER CASING):</u>	130					

LOG ID:**027200**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1972/05/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	445FT
<u>DRILL DEPTH:</u>	380FT	27N	7E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	280FT				742,735.50	4,092,247.55
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	DIKE 3 ON HWY D, WELL #4 - "NOT STATE APPROVED"			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027355**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

422FT

DRILL DEPTH:

550FT

27N

7E

35

DEPTH TO BED:

160FT

UTM XUTM Y

742,535.49

4,091,853.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DIKE #2, WELL #6, "NOT STATE APPROVED"; VERY POOR LOG

S.W.L. (AFTER CASING):**LOG ID:****016094**WELL TYPE

Private Well

DRILL DATE:

1956/06/

TOWNSHIPRANGESECTIONELEVATION:

442FT

DRILL DEPTH:

148FT

27N

7E

35

DEPTH TO BED:

125FT

UTM XUTM Y

742,535.49

4,092,443.56

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI N OF WAPPAPELLO DAM

S.W.L. (AFTER CASING):

90

LOG ID:**020743**WELL TYPE

Industrial High Capacity Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

564FT

DRILL DEPTH:

155FT

27N

7E

35

DEPTH TO BED:

70FT

UTM XUTM Y

742,535.49

4,092,835.56

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

0.5 MI N OF WAPPAPELLO DAM ON HWY

S.W.L. (AFTER CASING):**LOG ID:****020261**WELL TYPE

Private Well

DRILL DATE:

1961/06/12

TOWNSHIPRANGESECTIONELEVATION:

424FT

DRILL DEPTH:

126FT

27N

7E

35

DEPTH TO BED:

95FT

UTM XUTM Y

742,735.50

4,092,247.55

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.25 MI N OF WAPPAPELLO DAM

S.W.L. (AFTER CASING):

60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007809**WELL TYPE

Private Well

DRILL DATE: 1942/03/05TOWNSHIP RANGE SECTIONELEVATION: 452FTDRILL DEPTH: 122FT

27N 7E 35

DEPTH TO BED: 75FTUTM X UTM Y
742,535.49 4,092,247.55
ZONE 15S.W.L. (BEFORE CASING):REMARKS: N OF WAPPAPELLO DAM ON LAKE SHORES.W.L. (AFTER CASING):**LOG ID:****028267**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 331FTDRILL DEPTH: 55FT

27N 8E 9

DEPTH TO BED:UTM X UTM Y
749,569.61 4,098,633.59
ZONE 15S.W.L. (BEFORE CASING):REMARKS: MINGO WILDLIFE AREA SITE #2 - Missouri Geological SurveyS.W.L. (AFTER CASING):**LOG ID:****019730**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1961/03/TOWNSHIP RANGE SECTIONELEVATION: 657FTDRILL DEPTH: 1,130FT

28N 3E 1

DEPTH TO BED: 60FTUTM X UTM Y
706,255.25 4,112,036.80
ZONE 15S.W.L. (BEFORE CASING):REMARKS: OB WY-17S.W.L. (AFTER CASING):**LOG ID:****025610**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1968/04/TOWNSHIP RANGE SECTIONELEVATION: 465FTDRILL DEPTH: 200FT

28N 3E 6

DEPTH TO BED: 20FTUTM X UTM Y
698,466.28 4,112,056.76
ZONE 15S.W.L. (BEFORE CASING):REMARKS: US Army COE - #1 RIVER ROAD - CLEARWATER LAKES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027754**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

466FT

DRILL DEPTH:

225FT

28N

3E

6

DEPTH TO BED:

30FT

UTM XUTM Y

697,912.28

4,111,878.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ CLEARWATER LAKES.W.L. (AFTER CASING):**LOG ID:****028748**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1995/02/10

TOWNSHIPRANGESECTIONELEVATION:

505FT

DRILL DEPTH:

560FT

28N

3E

6

DEPTH TO BED:

55FT

UTM XUTM Y

698,169.28

4,111,642.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021699**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1963/04/08

TOWNSHIPRANGESECTIONELEVATION:

460FT

DRILL DEPTH:

165FT

28N

3E

6

DEPTH TO BED:

40FT

UTM XUTM Y

698,269.28

4,111,984.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 CLEARWATER LAKES.W.L. (AFTER CASING):**LOG ID:****021643**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1963/03/

TOWNSHIPRANGESECTIONELEVATION:

475FT

DRILL DEPTH:

165FT

28N

3E

6

DEPTH TO BED:

35FT

UTM XUTM Y

698,069.28

4,111,756.75

ZONE 15

S.W.L. (BEFORE CASING): 10 FTREMARKS: #1 RIVER ROAD PARK, BELOW CLEARWATER DAMS.W.L. (AFTER CASING): 13 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027740**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

459FT

DRILL DEPTH:

360FT

28N

3E

8

DEPTH TO BED:UTM XUTM Y

699,887.27

4,110,040.73

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NO SAMPLES LOGGED - TD ONLY

S.W.L. (AFTER CASING):

210

LOG ID:**020912**WELL TYPE

Private Well

DRILL DATE:

1962//

TOWNSHIPRANGESECTIONELEVATION:

469FT

DRILL DEPTH:

55FT

28N

3E

9

DEPTH TO BED:

20FT

UTM XUTM Y

701,630.26

4,110,152.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019415**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1960//

TOWNSHIPRANGESECTIONELEVATION:

659FT

DRILL DEPTH:

1,804FT

28N

4E

17

DEPTH TO BED:

80FT

UTM XUTM Y

709,952.24

4,108,581.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

0B WY-7

S.W.L. (AFTER CASING):**LOG ID:****020420**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

520FT

DRILL DEPTH:

1,904FT

28N

4E

25

DEPTH TO BED:

420FT

UTM XUTM Y

716,915.24

4,104,527.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026566**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1970/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	427FT
<u>DRILL DEPTH:</u>	769FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	150FT				726,664.20	4,112,062.91
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	62	FT	<u>REMARKS:</u> serves City of Greenville - formerly owned by City of Greenville			
<u>S.W.L. (AFTER CASING):</u>	38	FT				

LOG ID:**025735**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1965/03/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	422FT
<u>DRILL DEPTH:</u>	115FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					726,681.21	4,111,770.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> @ GREENVILLE			
<u>S.W.L. (AFTER CASING):</u>	25					

LOG ID:**028193**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	499FT
<u>DRILL DEPTH:</u>	355FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				727,095.21	4,111,387.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> YIELD 50-60 GPM; EITHER TSP 27 OR 28			
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**017202**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1957/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	407FT
<u>DRILL DEPTH:</u>	84FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				726,481.21	4,111,770.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> at Greenville			
<u>S.W.L. (AFTER CASING):</u>	20					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018099**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	407FT
<u>DRILL DEPTH:</u>	185FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				726,281.20	4,111,988.91
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	15	<u>REMARKS:</u>	ON HWY 67 IN GREENVILLE			

LOG ID:**020719**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1962/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	499FT
<u>DRILL DEPTH:</u>	1,636FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				727,095.21	4,111,387.90
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SECTION NOT GIVEN			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**020742**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/01/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	449FT
<u>DRILL DEPTH:</u>	126FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				726,681.20	4,111,988.91
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.25 MI N OF GREENVILLE ON HWY 67			
<u>S.W.L. (AFTER CASING):</u>	35					

LOG ID:**018807**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	436FT
<u>DRILL DEPTH:</u>	105FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				726,681.21	4,111,554.90
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON HWY 67 IN GREENVILLE			
<u>S.W.L. (AFTER CASING):</u>	20					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022455

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/12/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	499FT
<u>DRILL DEPTH:</u>	175FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					727,095.21	4,111,387.90
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	NOT SURE OF LOCATION		
<u>S.W.L. (AFTER CASING):</u>	127				ZONE 15	

LOG ID:
021562

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1963/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	441FT
<u>DRILL DEPTH:</u>	371FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				725,881.20	4,112,204.91
<u>S.W.L. (BEFORE CASING):</u>	47	FT	<u>REMARKS:</u>	IN GREENVILLE - formerly owned by City of Greenville		
<u>S.W.L. (AFTER CASING):</u>	55	FT			ZONE 15	

LOG ID:
019752

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/06/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	426FT
<u>DRILL DEPTH:</u>	155FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				726,881.21	4,111,770.90
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	30				ZONE 15	

LOG ID:
019257

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/07/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	433FT
<u>DRILL DEPTH:</u>	110FT	28N	5E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				726,581.21	4,111,554.90
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	ON HWY 67 IN GREENVILLE		
<u>S.W.L. (AFTER CASING):</u>	30				ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020601**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

435FT

DRILL DEPTH:

405FT

28N

5E

1

UTM XUTM YDEPTH TO BED:

25FT

726,681.21

4,111,879.90

ZONE 15

S.W.L. (BEFORE CASING):

30

FT

REMARKS:

MAY BE GASCONADE-EMINENCE

S.W.L. (AFTER CASING):

20

FT

LOG ID:**018808**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1959/11/

TOWNSHIPRANGESECTIONELEVATION:

407FT

DRILL DEPTH:

115FT

28N

5E

1

UTM XUTM YDEPTH TO BED:

25FT

726,481.21

4,111,770.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

IN GREENVILLE - FORMERLY GOLDEN CAFE

S.W.L. (AFTER CASING):

25

LOG ID:**026899**WELL TYPE

Private Well

DRILL DATE:

1970/08/10

TOWNSHIPRANGESECTIONELEVATION:

440FT

DRILL DEPTH:

50FT

28N

5E

22

UTM XUTM YDEPTH TO BED:

35FT

723,366.23

4,106,327.80

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RT 1, GREENVILLE

S.W.L. (AFTER CASING):

40

LOG ID:**011157**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1949//

TOWNSHIPRANGESECTIONELEVATION:

440FT

DRILL DEPTH:

58FT

28N

5E

23

UTM XUTM YDEPTH TO BED:

10FT

724,838.24

4,106,579.81

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:2 MI S OF GREENVILLE BRIDGE, 0.25 MI OFF HWY 67; SAMPLES
MIXEDS.W.L. (AFTER CASING):

25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028270**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

646FT

DRILL DEPTH:

20FT

28N

5E

26

DEPTH TO BED:UTM XUTM Y

724,743.25

4,105,476.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025734**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1967/09/12

TOWNSHIPRANGESECTIONELEVATION:

478FT

DRILL DEPTH:

290FT

28N

5E

27

DEPTH TO BED:

20FT

UTM XUTM Y

723,786.25

4,105,146.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:3 MI S OF GREENVILLE ON HWY 67, GEORGE SWENGROSS,
OWNERS.W.L. (AFTER CASING):

80

LOG ID:**018162**WELL TYPE

Industrial High Capacity Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

554FT

DRILL DEPTH:

680FT

28N

5E

27

DEPTH TO BED:

80FT

UTM XUTM Y

723,386.25

4,104,736.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD - 80-100 GPM - formerly in name of Central Milling Company

S.W.L. (AFTER CASING):

75

LOG ID:**002996**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1934/10/11

TOWNSHIPRANGESECTIONELEVATION:

664FT

DRILL DEPTH:

450FT

28N

5E

35

DEPTH TO BED:

130FT

UTM XUTM Y

724,150.26

4,103,385.75

ZONE 15

S.W.L. (BEFORE CASING):

165

FT

REMARKS:S.W.L. (AFTER CASING):

175

FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022047**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1961/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	440FT
<u>DRILL DEPTH:</u>	1,292FT	28N	5E	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				721,821.18	4,112,704.92
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	LOG ONLY 45-410' - OB WY-16			

LOG ID:**011160**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1949/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	488FT
<u>DRILL DEPTH:</u>	100FT	28N	5E	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				720,622.21	4,109,637.85
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40	<u>REMARKS:</u>	9 mi E of Piedmont, 8 mi SW of Greenville on Bridge Lake Rd; rock @ 40 ft			

LOG ID:**011422**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1950/06/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	125FT	28N	6E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				736,760.24	4,111,956.91
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	30	<u>REMARKS:</u>	"COULD NOT LOCATE"			

LOG ID:**018813**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/05/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	530FT
<u>DRILL DEPTH:</u>	70FT	28N	6E	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				733,963.28	4,108,632.84
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	20	<u>REMARKS:</u>	ON SHOOK (SHOAK ?) RD 5 MI E OF GREENVILLE			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014427**WELL TYPE

Private Well

DRILL DATE: 1955/12/ TOWNSHIP 28N RANGE 6E SECTION 18 ELEVATION:
DRILL DEPTH: 105FT UTM X 727,359.24 UTM Y 4,108,792.85
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: RR, GREENVILLE - formerly in name of Ken or Anna Barrow
S.W.L. (AFTER CASING): 20

LOG ID:**020940**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 28N RANGE 6E SECTION 4 ELEVATION: 700FT
DRILL DEPTH: 1,829FT UTM X 731,377.23 UTM Y 4,111,409.90
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**023878**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 28N RANGE 6E SECTION 8 ELEVATION: 555FT
DRILL DEPTH: 1,565FT UTM X 729,744.23 UTM Y 4,110,302.87
DEPTH TO BED: 140FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD LOG DEEPENED - SEE #21239 FOR COMPLETE LOG
S.W.L. (AFTER CASING):

LOG ID:**021239**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 28N RANGE 6E SECTION 8 ELEVATION: 555FT
DRILL DEPTH: 1,565FT UTM X 729,744.23 UTM Y 4,110,302.87
DEPTH TO BED: 140FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DEEPENED 650-1565 AS #23878 - SEE #21239 FOR COMPLETE
S.W.L. (AFTER CASING): LOG



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003150**WELL TYPE

Private Well

DRILL DATE: 1935/02/16TOWNSHIPRANGESECTIONELEVATION:

630FT

DRILL DEPTH: 115FT

28N

7E

29

DEPTH TO BED: 65FTUTM XUTM Y

739,571.35

4,105,508.78

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 38**LOG ID:****026793**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1971/04/22TOWNSHIPRANGESECTIONELEVATION:

523FT

DRILL DEPTH: 80FT

28N

7E

32

DEPTH TO BED: 15FTUTM XUTM Y

739,610.39

4,103,485.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TEST HOLE TO PROVE QUARRY SITES.W.L. (AFTER CASING):**LOG ID:****028306**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

535FT

DRILL DEPTH: 95FT

28N

7E

32

DEPTH TO BED:UTM XUTM Y

740,110.39

4,103,586.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WAPPAPELLO PROJECT - SHOOK, MO., SEMINOLE AGLIME
QUARRY - SITE #6S.W.L. (AFTER CASING):**LOG ID:****012816**WELL TYPE

Private Well

DRILL DATE: 1954/06/12TOWNSHIPRANGESECTIONELEVATION:

609FT

DRILL DEPTH: 249FT

28N

7E

33

DEPTH TO BED: 120FTUTM XUTM Y

740,538.40

4,103,365.73

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 12 MI SE OF GREENVILLES.W.L. (AFTER CASING): 200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020690**WELL TYPE

Private Well

DRILL DATE: 1961/09/19TOWNSHIPRANGESECTIONELEVATION:

683FT

DRILL DEPTH: 210FT

28N

7E

5

DEPTH TO BED: 90FTUTM XUTM Y

739,617.26

4,111,974.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LOWNDES, MO.S.W.L. (AFTER CASING): 155**LOG ID:****014218**WELL TYPE

Private Well

DRILL DATE: 1955/07/08TOWNSHIPRANGESECTIONELEVATION:

438FT

DRILL DEPTH: 110FT

28N

8E

33

DEPTH TO BED: 5FTUTM XUTM Y

751,054.55

4,103,329.69

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: JEFFERSON CITY & ROUBIDOUX ON LOGS.W.L. (AFTER CASING): 85**LOG ID:****018057**WELL TYPE

Private Well

DRILL DATE: 1957/08/10TOWNSHIPRANGESECTIONELEVATION:

555FT

DRILL DEPTH: 225FT

28N

8E

33

DEPTH TO BED: 65FTUTM XUTM Y

751,054.53

4,104,351.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI SW (SE ?) OF McGEES.W.L. (AFTER CASING): 220**LOG ID:****022945**WELL TYPE

Community Public Well

DRILL DATE: 1964/07/16TOWNSHIPRANGESECTIONELEVATION:

505FT

DRILL DEPTH: 350FT

29N

3E

26

DEPTH TO BED: 45FTUTM XUTM Y

705,252.26

4,115,440.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: STANDBY WELLS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020306

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	435FT
		29N	4E	13		
<u>DRILL DEPTH:</u>	220FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				717,036.18	4,117,994.98
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
020097

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1961/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	620FT
		29N	4E	35		
<u>DRILL DEPTH:</u>	1,467FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				715,247.21	4,113,129.88
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
005876

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1939/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	487FT
		29N	5E	11		
<u>DRILL DEPTH:</u>	477FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	405FT				724,726.13	4,119,609.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> #1 DAVID EVANS - OIL TEST				
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:
012802

WELL TYPE
Industrial High Capacity Well

<u>DRILL DATE:</u>	1954/06/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	453FT
		29N	5E	13		
<u>DRILL DEPTH:</u>	215FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				726,029.14	4,119,042.03
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> MINNOW HATCHERY @ CLUBB, 0.5 MI E OF JCT HWYS 67 & 34				
<u>S.W.L. (AFTER CASING):</u>	3					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019070**WELL TYPE

Private Well

DRILL DATE: 1959/04/TOWNSHIPRANGESECTIONELEVATION:

476FT

DRILL DEPTH: 250FT

29N

5E

13

DEPTH TO BED: 85FTUTM XUTM Y

726,029.14

4,119,264.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ON HWY 34, 0.75 MI E OF JCT HWYS 34 & 67S.W.L. (AFTER CASING):**LOG ID:****013431**WELL TYPE

Private Well

DRILL DATE: 1955/03/08TOWNSHIPRANGESECTIONELEVATION:

449FT

DRILL DEPTH: 77FT

29N

5E

15

DEPTH TO BED: 5FTUTM XUTM Y

723,472.14

4,118,366.02

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF JCT HWYS 34 & 67S.W.L. (AFTER CASING): 29**LOG ID:****021529**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962/12/17TOWNSHIPRANGESECTIONELEVATION:

407FT

DRILL DEPTH: 176FT

29N

5E

24

DEPTH TO BED: 30FTUTM XUTM Y

725,812.16

4,117,310.00

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 67 @ SILVAS.W.L. (AFTER CASING): 16**LOG ID:****020081**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1961/06/TOWNSHIPRANGESECTIONELEVATION:

400FT

DRILL DEPTH: 770FT

29N

5E

28

DEPTH TO BED: 110FTUTM XUTM Y

721,688.16

4,116,010.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LOOSE CREEK TRACT, PIEDMONT QUADS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023857**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

570FT

DRILL DEPTH:

1,645FT

29N

6E

1

UTM XUTM YDEPTH TO BED:

100FT

735,887.10

4,121,980.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SEE LOG #21231S.W.L. (AFTER CASING):**LOG ID:****021231**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

570FT

DRILL DEPTH:

1,645FT

29N

6E

1

UTM XUTM YDEPTH TO BED:

100FT

735,887.10

4,121,980.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ALSO LOGGED AS #23857 - DUPLICATE LOG #21231 100-1200'S.W.L. (AFTER CASING):**LOG ID:****025733**WELL TYPE

Private Well

DRILL DATE:

1965/09/21

TOWNSHIPRANGESECTIONELEVATION:

675FT

DRILL DEPTH:

256FT

29N

6E

27

UTM XUTM YDEPTH TO BED:

205FT

732,996.20

4,114,736.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MI E OF GREENVILLE ON HWY ES.W.L. (AFTER CASING):

185

LOG ID:**020183**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1961/08/

TOWNSHIPRANGESECTIONELEVATION:

700FT

DRILL DEPTH:

1,110FT

29N

6E

6

UTM XUTM YDEPTH TO BED:

100FT

727,581.12

4,121,407.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023769**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1965//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	754FT
<u>DRILL DEPTH:</u>	600FT	29N	6E	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				728,742.12	4,120,664.07
<u>S.W.L. (BEFORE CASING):</u>	130	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	164	FT				

REMARKS: formerly named Baptist Mission

LOG ID:**019863**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1961/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	570FT
<u>DRILL DEPTH:</u>	1,814FT	29N	7E	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				738,013.13	4,120,045.07
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:**026232**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1969/05/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	586FT
<u>DRILL DEPTH:</u>	160FT	30N	5E	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				722,801.06	4,129,338.26
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: Girl Scout Camp - ALL DIABASE

LOG ID:**003185**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1935/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	620FT
<u>DRILL DEPTH:</u>	366FT	30N	5E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				718,135.12	4,126,571.15
<u>S.W.L. (BEFORE CASING):</u>	45	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	45	FT				

REMARKS: US CCC



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027054**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1971/12/01TOWNSHIPRANGESECTIONELEVATION:

487FT

DRILL DEPTH: 275FT

30N

5E

27

DEPTH TO BED:UTM XUTM Y

722,903.08

4,126,207.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: Girl Scout CampS.W.L. (AFTER CASING):**LOG ID:****002743**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1933/07/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 250FT

30N

5E

28

DEPTH TO BED: 25FTUTM XUTM Y

721,009.10

4,125,970.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010284**WELL TYPE

Private Well

DRILL DATE: 1948/07/TOWNSHIPRANGESECTIONELEVATION:

456FT

DRILL DEPTH: 190FT

30N

5E

34

DEPTH TO BED: 105FTUTM XUTM Y

722,975.10

4,123,753.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NOT SURE OF LOCATION, SECTION 34 OR 35S.W.L. (AFTER CASING): 38**LOG ID:****025601**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1968/05/TOWNSHIPRANGESECTIONELEVATION:

540FT

DRILL DEPTH: 590FT

30N

5E

5

DEPTH TO BED: 5FTUTM XUTM Y

718,979.07

4,132,262.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002161**WELL TYPE

Unknown Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

560FT

DRILL DEPTH:

80FT

30N

5E

5

UTM XUTM YDEPTH TO BED:

719,079.07

4,131,857.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012643**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

554FT

DRILL DEPTH:

60FT

30N

6E

5

UTM XUTM YDEPTH TO BED:

729,378.99

4,132,174.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NOTEBOOK 1073S.W.L. (AFTER CASING):**LOG ID:****012645**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH:

70FT

30N

6E

7

UTM XUTM YDEPTH TO BED:

727,787.02

4,130,484.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NOTEBOOK 1073S.W.L. (AFTER CASING):**LOG ID:****012642**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

623FT

DRILL DEPTH:

25FT

30N

6E

7

UTM XUTM YDEPTH TO BED:

727,687.01

4,130,893.31

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NOTEBOOK #1073S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012641**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

518FT

DRILL DEPTH:

25FT

30N

6E

8

UTM XUTM YDEPTH TO BED:

728,807.01

4,131,140.32

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NOTEBOOK #1073S.W.L. (AFTER CASING):**LOG ID:****012644**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

479FT

DRILL DEPTH:

95FT

30N

7E

2

UTM XUTM YDEPTH TO BED:

743,603.91

4,131,815.37

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NOTEBOOK #1073S.W.L. (AFTER CASING):**LOG ID:****011705**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1951//

TOWNSHIPRANGESECTIONELEVATION:

550FT

DRILL DEPTH:

515FT

30N

7E

2

UTM XUTM YDEPTH TO BED:

40FT

743,403.91

4,132,345.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012646**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

499FT

DRILL DEPTH:

20FT

30N

7E

34

UTM XUTM YDEPTH TO BED:

743,114.05

4,124,600.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NOTEBOOK #1073S.W.L. (AFTER CASING):**WAYNE**